



OSHA GUARDRAIL WITH 6' REMOVABLE SECTION

MEZZANINE STRUCTURE BY PEMB ENGINEER

FURR CEILING TO 7'-0" AFF IN VENDING AREA BEYOND

VENDING MACHINES BY OTHERS

3-5/8" METAL STUD WALL WITH 5/8" GYP BOARD EA. SIDE

3-1/2" BATT INSULATION (TYP AT OFFICE AREA WALLS)

4" VINYL BASE

SEALED CONCRETE FLOOR TYP.

8'-0"

R-PANEL METAL SIDING ABOVE CMU WAINSCOT

MECH. UNIT FOR OFFICE AREAS

CONCRETE ON METAL DECK

MEZZANINE STRUCTURE BY PEMB ENGINEER
(OTHER JOIST STRUCTURE MAY BE
SUBSTITUTED FOR BAR JOIST
CONSTRUCTION SHOWN HERE)

10" BY-PASS GIRT TYP.

6" VINYL FACED INSULATION

LAY IN CEILING AT 10'-0" AFF

PEMB FRAME

R-PANEL METAL SIDING ABOVE CMU WAINSCOT

PE10" CHANNEL CONT.

P8" CMU - PAINTED

COLUMN FOOTING BEYOND

POURED CONCRETE STEM WALL AND FOOTING
SEE STRUCTURAL DETAILS

TYP. WALL SECTION AT OFFICE AREA

SCALE: 3/4" = 1'-0"